Physica C 190 (1992) 607–613
North-Holland

PHYSICA C

Author Index to Volume 190

Achiba, Y., see T. Takahashi **190**, 205
Adachi, S., see Y. Yaegashi **190**, 433
Aihara, K., see T. Nabatame **190**, 114
Alekseev, V.A., see O.Yu. Gorbenko **190**, 180
Aligia, A.A., J. Garcés and H. Bonadeo, Oxygen superstructures in semiconducting $RBa_2Cu_3O_{6+x}$ **190**, 234
Anderson, P.A., see W.Z. Zhou **190**, 59
Anderson, W.A., see Q.X. Jia **190**, 266
Andersson, M., Ö. Rapp, Z. Hegedüs, T.L. Wen and M. Nygren, Structural and superconducting properties of $Y_{1-2x}Ca_xPr_xBa_2Cu_3O_{7-\delta}$ **190**, 255
Antipov, E.V., see N.R. Khasanova **190**, 522
Asaoka, H., see K. Ogawa **190**, 39
Asaoka, H., H. Takei and Y. Iye, Growth and characterization of polyhedral $YBa_2Cu_3O_x$ single crystals **190**, 64
Atake, T., A. Honda and H. Kawaji, Heat capacity and related thermodynamic functions of $Ba_2YCu_3O_{7-y}$ **190**, 70
Awaji, S., see H. Yamane **190**, 79

Bahadur, D., N. Sudhakar, S.V. Sharma, K.P. Gupta and A.K. Majumdar, Ag_2O as nucleating agent in the crystallization of superconducting phase in $Bi_2Sr_2Ca_4Cu_5O_y$ glass composition **190**, 527
Bahout-Mouallem, M., see P. Imbert **190**, 316
Bajuk, L.J., see R.P. Vasquez **190**, 249
Bando, Y., see Y. Ikeda **190**, 18
Bhagwat, K.V. and P. Chaddah, Magnetization curves for a hard superconductor sample in the shape of a general ellipsoid **190**, 444
Bieger, W., see G. Krabbes **190**, 141
Bohn, C.A., see R.L. Burton **190**, 569
Bonadeo, H., see A.A. Aligia **190**, 234
Boon, W., see O. Van der Biest **190**, 119
Bruynseraede, Y., see O. Van der Biest **190**, 119
Bulcock, S., see P. Goodman **190**, 277
Burdett, J.K., Oxygen ordering and plane-to-chain electron transfer in $YBa_2Cu_3O_{7-\delta}$ **190**, 606
Burlakov, V.M., S.V. Shulga, J. Keller and K.F. Renk, Evidence for a Fano-type interaction of infrared active phonons with electronic excitations in $Tl_2Ba_2Ca_2Cu_3O_{10}$ **190**, 304
Burton, R.L., C.A. Bohn, S. Short, H.O. Marcy, D.C. DeGroot, C.R. Kannewurf and C.U. Segre, Microstructure and transport properties of $YBa_2Cu_3O_{7-\delta}$ films produced by laser ablation from a $BaF_2/Y_2O_3/CuO$ target **190**, 569
Bush, A.A., Yu.E. Kitaev, M.F. Limonov, Yu.F. Markov, A.A. Novikov and R.A. Evarestov, Normal modes of Bi–Sr–Ca–Cu–O high-temperature superconductors: layer-by-layer approach **190**, 477

Cardona, M., see J. Humlíček **190**, 383
Chaddah, P., see K.V. Bhagwat **190**, 444
Chaklader, A.C.D., see A. Kulpa **190**, 219
Chan, S.K., see E. Zouboulis **190**, 329
Chaudhary, K.A., see M. Nakabayashi **190**, 143
Chen, C.H., see E. Zouboulis **190**, 329
Chen, J., see H. Suzuki **190**, 75
Chen, T.-M. and Y.-H. Hu, Polymeric precursor derived high-T_c bismuth superconductors **190**, 124
Cheong, S.-W., see G. Yu **190**, 563
Cherushev, Yu.A., see G.A. Kapustin **190**, 549
Chihaya, M., see S. Kishida **190**, 110
Chu, W.K., see R. Durny **190**, 460
Cohen, M.L., see N. Kijima **190**, 597
Cooke, D.W., see R.E. Muenchausen **190**, 46
Coppens, P., see N.A. Fleischer **190**, 367
Corkill, J.L., see N. Kijima **190**, 597
Coulter, J.Y., see M.E. McHenry **190**, 403

Dabrowski, B., see Y. Liang **190**, 415
Dahm, Th., S. Wermbter and L. Tewordt, Theory of optical conductivity and photoemission intensity for Cu–O plane superconductors **190**, 537
Datars, W.R., see R.K. Nkum **190**, 465
DeGroot, D.C., see R.L. Burton **190**, 569
Deshimaru, Y., see Y. Matsumoto **190**, 165
Deymier, P.A., see C.Y. Lee **190**, 299
Dhalle, M., see O. Van der Biest **190**, 119
Dierickx, D., see O. Van der Biest **190**, 119
Doi, T., see T. Nabatame **190**, 114
Dong, C. and A.M. Hermann, Multi-parameter correlation model and computer-assisted high-T_c material design **190**, 137
Dou, S.X., H.K. Liu, Y.C. Guo and P. Munroe, Defects and critical current density in Ag-clad Bi-based superconducting tapes **190**, 157
Dou, S.X., H.K. Liu, Y. Zhao, W.M. Wu, Y.C. Guo and C.C. Sorrell, Effect of chemical substitution on superconductivity in $YBa_2Cu_3O_{7-z}$, $Bi_2Sr_2YCu_2O_{8+z}$, and Bi_2Sr **190**, 160
Downey, J., see E. Zouboulis **190**, 329
Dunlap, B.D., see Y. Liang **190**, 415
Durny, R., see M. Puri **190**, 210
Durny, R., M. Puri, L. Kevan, Y.J. Zhao and W.K. Chu, Low field microwave absorption of $YBa_2Cu_3O_{7-\delta}$ thin films **190**, 460

Edwards, P.P., see W.Z. Zhou **190**, 59
Edwards, P.P., see R.S. Liu **190**, 99
Egi, T., see J. Takada **190**, 102
Evarestov, R.A., see A.A. Bush **190**, 477

Evetts, J.E., see J.L. MacManus **190**, 511

Feinberg, D., see S. Theodorakis **190**, 271
Fisk, Z., see G. Yu **190**, 563
Flambaum, V.V. and O.P. Sushkov, Hole dispersion and enhancement of antiferromagnetic interaction of localized spins in high-T_c superconductors **190**, 453
Fleischer, N.A., J. Manassen, P. Coppens, P. Lee, Y. Gao and S.G. Greenbaum, Electrochemical insertion of lithium into the $Bi_2Sr_2CaCu_2O_{8+y}$ high T_c superconductor **190**, 367
Foltyn, S.R., see R.E. Muenchausen **190**, 46
Foote, M.C., see R.P. Vasquez **190**, 249
Forkl, A., see H. Theuss **190**, 345
Fray, D.J., see J.L. MacManus **190**, 511
Fueki, K., Y. Idemoto and T. Yamauchi, Defect chemistry of $BaPb_{1-x}Bi_xO_3$ **190**, 6
Fueki, K., see Y. Idemoto **190**, 502
Fujimoto, H., see T. Takahashi **190**, 205
Fujiwara, J., see K. Ogawa **190**, 39
Fujiwara, M., see J. Takada **190**, 102
Fujiwara, Y., see H. Suzuki **190**, 75
Fukazawa, T., see M. Hiratani **190**, 175
Fukuda, Y., N. Sanada, T. Nakadaira, M. Nagoshi, Y. Syono and M. Tachiki, Effects of substitution of Fe and Co for Cu in $Bi_2Sr_{1.8}Ca_{1.2}Cu_2O_y$ on electronic states studied by photoemission **190**, 73
Fukunaga, O., see N. Ohashi **190**, 154
Fukuoka, M., Y. Nakayama, Y. Tomioka, K. Kishio and K. Kitazawa, Superconductivity of $(La,Ca)_2CuO_4$ prepared in high oxygen pressure **190**, 91
Furusawa, H. and Y. Koyama, Features of structural fluctuations in superconducting oxides Ln–Ce–Cu–O (Ln = Pr, Nd) **190**, 131

Gameson, I., see R.S. Liu **190**, 99
Gao, Y., see N.A. Fleischer **190**, 367
Garcés, J., see A.A. Aligia **190**, 234
Garcin, C., see P. Imbert **190**, 316
Gippius, A.A., see N.R. Khasanova **190**, 522
Goda, T., see M. Kawai **190**, 27
Gold, A., The disordered Bose condensate in two dimensions. Application to high-T_c superconductors **190**, 483
Gonda, S., see M. Yoshimoto **190**, 43
Gong, J.P., see M. Yoshimoto **190**, 43
Goodman, P., S. Bulcock, P. Miller and Z. Przelozny, On the search for a stable BiPbSrCaCuO 2223 polytype **190**, 277
Gorbenko, O.Yu., A.R. Kaul, Yu.D. Tret'yakov, V.I. Scritnii, S.A. Pozigun and V.A. Alekseev, Composition, texture and magnetic properties of YBaCuO thin films obtained by MOCVD **190**, 180
Goto, T. and T. Sugishita, Suspension spinning and solution spinning of a high-T_c oxide superconductor **190**, 89
Goto, Y., see H. Ohnishi **190**, 134
Greenbaum, S.G., see N.A. Fleischer **190**, 367
Grimsditch, M., see E. Zouboulis **190**, 329
Gronsky, R., see N. Kijima **190**, 597
Groult, D., see B. Raveau **190**, 1
Groult, D., see R.S. Liu **190**, 99
Groult, D., see V. Hardy **190**, 289
Guo, Y.C., see S.X. Dou **190**, 157, 160
Gupta, K.P., see D. Bahadur **190**, 527

Habermeier, H.-U., see J. Humlíček **190**, 383
Hanada, T., see M. Kawai **190**, 27
Hanada, T., see T. Hikita **190**, 148
Hanaoka, K., see H. Ohnishi **190**, 134
Hanaoka, K., H. Ohnishi, H. Harima and K. Tachibana, In situ infrared absorption spectroscopy on the thermal decomposition process of MOCVD source gases for YBCO thin films **190**, 145
Hardy, V., D. Groult, J. Provost and B. Raveau, Magnetic relaxation and flux pinning in $YBa_2Cu_3O_{7-\delta}$ high-T_c oxide irradiated by 5.3 GeV Pb ions **190**, 289
Harima, H., see H. Ohnishi **190**, 134
Harima, H., see K. Hanaoka **190**, 145
Hartford Jr., E.H., see E.S. Hellman **190**, 31
Hase, T., see H. Takahashi **190**, 427
Hasegawa, M., see Y. Inoue **190**, 126
Hasegawa, S., see T. Takahashi **190**, 205
Hasegawa, T., T. Kitamura, H. Kobayashi, F. Takeshita, H. Kumakura, H. Kitaguchi and K. Togano, Preparation of Bi–Sr–Ca–Cu–O superconducting tape by pyrolysis of organic acid salts **190**, 81
Hasei, M., see H. Yamane **190**, 79
Hashimoto, T., see M. Nakabayashi **190**, 143
Hattori, T., see A. Miyamoto **190**, 93
Hattori, T., see H. Zama **190**, 151
Hayashi, S., see H. Komatsu **190**, 14
Heeger, A.J., see G. Yu **190**, 563
Hegedüs, Z., see M. Andersson **190**, 255
Hellman, E.S. and E.H. Hartford Jr., Synthesis of new oxide materials by molecular beam epitaxy: the Dy–Ba–Cu–O and Ba–K–Bi–O systems **190**, 31
Hermann, A.M., see C. Dong **190**, 137
Hervieu, M., see B. Raveau **190**, 1
Hervieu, M., see R.S. Liu **190**, 99
Hikata, T., see K. Sato **190**, 50
Hikita, T., R. Sekine, T. Hanada and M. Kawai, Selective surface reaction between metal compounds and surface functional groups **190**, 148
Hino, S., see T. Takahashi **190**, 205
Hirai, T., see H. Yamane **190**, 79
Hirano, S., T. Yogo, K. Kikuta, H. Tomonaga and M. Ishii, Processing of Bi–(Pb)–Sr–Ca–Cu oxide superconductor thin films by metal alkoxide route **190**, 53
Hiratani, M., Y. Tarutani, T. Fukazawa and K. Takagi, Transport properties of semiconducting cuprates, La–Ba–Cu–O **190**, 175
Hiroi, Z., see Y. Ikeda **190**, 18
Hiroi, Z., see J. Takada **190**, 102
Hirokawa, Y., see Y. Takamura **190**, 122
Hirotsu, Y., see H. Suzuki **190**, 75
Hodges, J.A., see P. Imbert **190**, 316
Honda, A., see T. Atake **190**, 70

Hu, S.F., see R.S. Liu **190**, 99
Hu, Y.-H., see T.-M. Chen **190**, 124
Humlíček, J., J. Kircher, H.-U. Habermeier, M. Cardona and A. Röseler, Infrared optical response of $YBa_2Cu_3O_7$ and $PrBa_2Cu_3O_7$. An ellipsometric study **190**, 383
Hunt, B.D., see R.P. Vasquez **190**, 249

Ichinose, H., see Y. Ishida **190**, 67
Ichinose, N. and K. Saito, Grain orientation of the Bi–Sr–Ca–Cu–O system ceramics by hot-forging and their superconducting properties **190**, 177
Idemoto, Y., see K. Fueki **190**, 6
Idemoto, Y. and K. Fueki, Oxygen nonstoichiometry and high temperature conductivity of the 2201 phase of the Bi–Sr–Cu–O superconducting oxide **190**, 502
Igarashi, H., see T. Manako **190**, 63
Ikawa, H., see N. Ohashi **190**, 154
Ikeda, Y., H. Ito, S. Shimomura, Z. Hiroi, M. Takano, Y. Bando, J. Takada, K. Oda, H. Kitaguchi, Y. Miura, Y. Takeda and T. Takada, Phase diagram studies of the $BiO_{1.5}$–PbO–SrO–CaO–CuO system and the formation process of the "2223 (high-T_c)" phase **190**, 18
Ikeda, Y., see J. Takada **190**, 102
Ikemoto, K., see T. Takahashi **190**, 205
Imao, H., see S. Kishida **190**, 110
Imbert, P., G. Jéhanno, C. Garcin, J.A. Hodges and M. Bahout-Mouallem, ^{57}Fe Mössbauer absorption and emission spectroscopy and X-ray measurements in oriented crystallites of $La_{2-x}Sr_xCuO_4$: directional properties of the ^{57}Fe hyperfine parameters **190**, 316
Inada, T. and M. Kuwabara, Influence of the oxygen annealing process on the superconducting properties in $YBa_2Cu_3O_x$ ceramics **190**, 172
Inokuchi, H., see T. Takahashi **190**, 205
Inoue, T., see H. Komatsu **190**, 14
Inoue, Y. and M. Hasegawa, Structural disorder in T*-phase superconducting oxides **190**, 126
Inoue, Y., see F. Munakata **190**, 471
Inui, T., see A. Miyamoto **190**, 93
Ishida, Y., J. Matsuzaki, T. Kizuka and H. Ichinose, Structure and properties of a $Bi_2Sr_2Ca_2Cu_3O_x$–Ag nanocomposite **190**, 67
Ishihara, N., see S. Kishida **190**, 110
Ishii, M., see S. Hirano **190**, 53
Ishii, T., see A. Koizumi **190**, 338
Ishizaki, K., see Y. Watanabe **190**, 84
Ishizawa, N., see M. Kawai **190**, 27
Ito, H., see Y. Ikeda **190**, 18
Itoh, M., see T. Shimura **190**, 104
Iye, Y., see H. Asaoka **190**, 64
Izumi, F., Structural studies of high-T_c superconductors by neutron powder diffraction **190**, 35
Izumi, H., see H. Takahashi **190**, 427

Jefferson, D.A., see R.S. Liu **190**, 99
Jéhanno, G., see P. Imbert **190**, 316
Jia, Q.X., S.Y. Lee, W.A. Anderson and D.T. Shaw, Preservation of substrate crystal and enhancement of $YBa_2Cu_3O_{7-x}$ thin film growth using YSZ/Si_3N_4 as a buffer layer **190**, 266

Kamata, Y., see Y. Kuwasawa **190**, 333
Kambe, S., Y. Murakoshi, R. Sekine, M. Kawai, K. Yamada, S. Ohshima and K. Okuyama, Bi and Cu valences of Bi-based superconductors **190**, 139
Kamiya, K., see T. Takahashi **190**, 205
Kamo, T., see T. Nabatame **190**, 114
Kanai, M., T. Kawai and S. Kawai, Growth mechanism of layer controlled $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ formed by laser molecular beam epitaxy **190**, 57
Kanamaru, F., see S. Kikkawa **190**, 97
Kannewurf, C.R., see R.L. Burton **190**, 569
Kapustin, G.A., B.B. Tolkachev, Yu.A. Cherushev and L.D. Shustov, Flux creep and flux flow for thallium ceramics in a pulsed magnetic field **190**, 549
Katada, M., see Y. Matsumoto **190**, 165
Katayama, M., see S. Kishida **190**, 110
Katayama-Yoshida, H., see T. Takahashi **190**, 205
Kato, T., see K. Sato **190**, 50
Kato, Y., see H. Komatsu **190**, 14
Kaul, A.R., see O.Yu. Gorbenko **190**, 180
Kawai, M., M. Mori, T. Hanada, M. Kudo, N. Ishizawa, T. Goda and S. Teratani, Structure and growth mechanism of ultrathin films of Bi cuprates grown by low-temperature MBE **190**, 27
Kawai, M., see S. Kambe **190**, 139
Kawai, M., see T. Hikita **190**, 148
Kawai, S., see M. Kanai **190**, 57
Kawai, T., see M. Kanai **190**, 57
Kawaji, H., see T. Atake **190**, 70
Kawano, T., see F. Munakata **190**, 471
Keller, J., see V.M. Burlakov **190**, 304
Kevan, L., see M. Puri **190**, 210
Kevan, L., see R. Durny **190**, 460
Kharlonov, A.L., see N.R. Khasanova **190**, 522
Khasanova, N.R., A.L. Kharlonov, E.V. Antipov, L.M. Kovba, A.A. Gippius and V.V. Moshchalkov, Synthesis and investigation of the complex copper oxides $Bi_2Sr_2R_{2-x}Ce_xCu_2O_{10+\delta}$ (R = rare earth) **190**, 522
Kijima, N., R. Gronsky, X.-D. Xiang, W.A. Vareka, A. Zettl, J.L. Corkill and M.L. Cohen, Crystal structures of stage-n iodine-intercalated compounds $IBi_{2n}Sr_{2n}Ca_nCu_{2n}O_x$ **190**, 597
Kikkawa, S., T. Yamaguchi, F. Kanamaru, I. Matsubara and S. Kose, Effects of Ln substitution in Ln_2CuO_4 **190**, 97
Kikuchi, K., see T. Takahashi **190**, 205
Kikuchi, M., see Y. Syono **190**, 9
Kikuta, K., see S. Hirano **190**, 53
Kim, S., see H. Ledbetter **190**, 129
Kimball, C.W., see Y. Liang **190**, 415
Kircher, J., see J. Humlíček **190**, 383
Kishida, S., H. Tokutaka, M. Katayama, M. Chihaya, H. Imao, K. Nishimori and N. Ishihara, Growth of 80-K-phase Bi–

Sr–Ca–Cu–O bulk single crystals using the flux containing Li or Sb **190**, 110
Kishio, K., see M. Fukuoka **190**, 91
Kitaev, Yu.E., see A.A. Bush **190**, 477
Kitaguchi, H., see Y. Ikeda **190**, 18
Kitaguchi, H., see T. Hasegawa **190**, 81
Kitamura, T., see T. Hasegawa **190**, 81
Kitazawa, K., see M. Fukuoka **190**, 91
Kizuka, T., see Y. Ishida **190**, 67
Kobayashi, H., see T. Hasegawa **190**, 81
Kobayashi, N., see H. Yamane **190**, 79
Koblischka, M.R., Th. Schuster, B. Ludescher and H. Kronmüller, Direct observation of flux-creep in high-T_c superconductors using the high-resolution Faraday effect **190**, 557
Koinuma, H., see M. Yoshimoto **190**, 43
Koinuma, H., see M. Nakabayashi **190**, 143
Koizumi, A., H. Maruyama, H. Yamazaki, H. Maeda, T. Ishii, Y. Miura and J. Takada, Temperature dependence of EXAFS spectrum in Bi–Pb–Sr–Ca–Cu oxide superconductor **190**, 338
Kojima, H., see M.E. McHenry **190**, 403
Komaki, H., see Y. Takamura **190**, 122
Komatsu, H., Y. Kato, S. Miyashita, T. Inoue and S. Hayashi, In situ observations of crystal growth of Bi-based oxide superconductors **190**, 14
Komatsu, T., see R. Sato **190**, 107
Kontra, R., see A. Otto **190**, 581
Kose, S., see S. Kikkawa **190**, 97
Koura, N. and H. Shoji, Preparation of high-T_c superconductors by electrophoretic deposition method. Study on the substrate and the electrolyte **190**, 163
Kovba, L.M., see N.R. Khasanova **190**, 522
Koyama, Y., see H. Furusawa **190**, 131
Krabbes, G., W. Bieger, J. Thomas, P. Verges and H. Lütgemeier, Variation of structure and properties in nonstoichiometric $YBa_2Cu_3O_{7-x}$ by various preparation conditions **190**, 141
Krasnov, V.M., A method of determination of the bulk critical field H_{c1} and the pinning current J_c in HTSC single crystals from hysteresis curves **190**, 357
Kronmüller, H., see H. Theuss **190**, 345
Kronmüller, H., see M.R. Koblischka **190**, 557
Kubo, Y., see T. Manako **190**, 63
Kudo, M., see M. Kawai **190**, 27
Kulpa, A., A.C.D. Chaklader and G. Roemer, Sintering time effect on electrical properties of $YBa_2Cu_3O_x$ **190**, 219
Kumakura, H., see T. Hasegawa **190**, 81
Kumar, S., see E. Zouboulis **190**, 329
Kurosawa, H., see H. Yamane **190**, 79
Kusagaya, K., see T. Terai **190**, 116
Kuwabara, M., see T. Inada **190**, 172
Kuwasawa, Y., Y. Kamata, T. Watanabe, S. Nakano and S. Matuda, Superconducting upper critical fields of V/Cr-superlattices **190**, 333
Kwarciak, J., see O. Van der Biest **190**, 119
Lähderanta, E., L. Vlasenko and R. Laiho, Temperature reversibility of the remanent magnetization in powders of Y–Ba–Cu–O **190**, 497
Laiho, R., see E. Lähderanta **190**, 497
Ledbetter, H., S. Kim and A. Roshko, Critical-temperature/Debye-temperature correlation in $(La–M)_2CuO_4$ superconductors **190**, 129
Lee, C.H., see G. Yu **190**, 563
Lee, C.Y. and P.A. Deymier, Electron–phonon coupling in $Ba_{0.6}K_{0.4}BiO_3$ by discretized quantum path integral molecular dynamics **190**, 299
Lee, P., see N.A. Fleischer **190**, 367
Lee, S.Y., see Q.X. Jia **190**, 266
Lessure, H.S., see M.E. McHenry **190**, 403
Li, Q., T. Venkatesan and X.X. Xi, Growth and superconducting properties of $YBa_2Cu_3O_7$-based superlattices **190**, 22
Liang, Y., B. Dabrowski, C.W. Kimball, W. Peng and B.D. Dunlap, Magnetic behavior of 3d dopants in superconducting $REBa_2Cu_{3-x}{}^{57}Fe_xO_{7+\delta}$ (RE=Dy, Er) **190**, 415
Limonov, M.F., see A.A. Bush **190**, 477
Lin, C.T., see W.Z. Zhou **190**, 59
Lin, J., see G. Mao **190**, 285
Liu, H.K., see S.X. Dou **190**, 157, 160
Liu, R.S., S.F. Hu, I. Gameson, S.D. Obertelli, P.P. Edwards, D.A. Jefferson, T. Rouillon, M. Hervieu, C. Michel, D. Groult, J. Provost and B. Raveau, Bulk new high-T_c superconductors in the $(Pb,Cu)Sr_2(Ca,Y)Cu_2O_{7-\delta}$ and $(In,Pb,Cu)Sr_2(Ca,Y)Cu_2O_{7-\delta}$ systems **190**, 99
Ludescher, B., see M.R. Koblischka **190**, 557
Lütgemeier, H., see G. Krabbes **190**, 141

MacManus, J.L., D.J. Fray and J.E. Evetts, Determination of different oxygen transport mechanisms and measurement of the oxygen ion conductivity of $Y_1Ba_2Cu_3O_{7-x}$ **190**, 511
Maeda, H., see A. Koizumi **190**, 338
Maignan, A., see B. Raveau **190**, 1
Majumdar, A.K., see D. Bahadur **190**, 527
Maley, M.P., see M.E. McHenry **190**, 403
Manako, T., Y. Shimakawa, Y. Kubo and H. Igarashi, Synthesis and physical properties of $Tl_2Ba_2CuO_{6+\delta}$ single crystal **190**, 63
Manassen, J., see N.A. Fleischer **190**, 367
Mao, G., D. Wang, L. Wang, J. Lin and G. Wang, Laser-induced electromotive force of a metal–superconductor Y–Ba–Cu–O junction **190**, 285
Marcy, H.O., see R.L. Burton **190**, 569
Markov, Yu.F., see A.A. Bush **190**, 477
Martin, C., see B. Raveau **190**, 1
Maruyama, H., see A. Koizumi **190**, 338
Matsubara, I., see S. Kikkawa **190**, 97
Matsuda, M., see S. Ohara **190**, 87
Matsuda, S., see T. Nabatame **190**, 114
Matsumoto, Y., T. Nishida, M. Katada, Y. Deshimaru, N. Miura and N. Yamazoe, ^{119}Sn-Mössbauer spectroscopic

study of the single phase of Bi(Pb)–Sr–Ca–Cu(Sn)–O **190**, 165
Matsuzaki, J., see Y. Ishida **190**, 67
Matuda, S., see Y. Kuwasawa **190**, 333
Matusita, K., see R. Sato **190**, 107
Mawdsley, A., J.L. Tallon and M.R. Presland, Thermodynamic stability of cuprate perovskite superconductors **190**, 437
Mazaki, H., see J. Takada **190**, 102
McHenry, M.E., H.S. Lessure, M.P. Maley, J.Y. Coulter, I. Tanaka and H. Kojima, Systematics of flux jumps and the stabilizing effect of flux creep in a $La_{1.86}Sr_{0.14}CuO_4$ single crystal **190**, 403
McNeil, L., see E. Zouboulis **190**, 329
Michel, C., see B. Raveau **190**, 1
Michel, C., see R.S. Liu **190**, 99
Miller, P., see P. Goodman **190**, 277
Miura, N., see Y. Matsumoto **190**, 165
Miura, Y., see Y. Ikeda **190**, 18
Miura, Y., see A. Koizumi **190**, 338
Miyake, T., see H. Zama **190**, 151
Miyamoto, A., T. Hattori and T. Inui, Structure and dynamics of oxide superconductor films as investigated by molecular dynamics and computer graphics **190**, 93
Miyashita, S., see H. Komatsu **190**, 14
Mizusaki, J., see H. Tagawa **190**, 167
Mori, M., see M. Kawai **190**, 27
Morikawa, T., see T. Takahashi **190**, 205
Morishita, T., see H. Takahashi **190**, 427
Morris, D.E., Novel high-T_c superconductors by high-pressure oxygen processing **190**, 185
Moshchalkov, V.V., see N.R. Khasanova **190**, 522
Muenchausen, R.E., D.W. Cooke, S.R. Foltyn, X.D. Wu and N.S. Nogar, Large-area, low microwave surface resistance thin films of $YBa_2Cu_3O_{7-x}$ using pulsed laser deposition **190**, 46
Mukai, H., see K. Sato **190**, 50
Munakata, F., T. Kawano, H. Yamauchi and Y. Inoue, Oxygen nonstoichiometry effect on structural modulation in Bi-2212 cuprate superconductors **190**, 471
Munroe, P., see S.X. Dou **190**, 157
Murakoshi, Y., see S. Kambe **190**, 139
Muto, Y., see H. Yamane **190**, 79

Nabatame, T., Y. Saito, T. Doi, K. Aihara, T. Kamo and S. Matsuda, Phase equilibrium in the Nd–Ce–Cu–O system **190**, 114
Nagata, H., see M. Yoshimoto **190**, 43
Nagoshi, M., see Y. Fukuda **190**, 73
Nakabayashi, M., T. Shiraishi, T. Hashimoto, K.A. Chaudhary and H. Koinuma, Low-temperature synthesis of Bi–Sr–Ca–Cu–O films by photo CVD method **190**, 143
Nakadaira, T., see Y. Fukuda **190**, 73
Nakajima, K., see H. Suzuki **190**, 75
Nakajima, S., see Y. Syono **190**, 9
Nakamura, T., see T. Shimura **190**, 104
Nakano, S., see Y. Kuwasawa **190**, 333
Nakayama, Y., see M. Fukuoka **190**, 91
Nanba, T., see J. Takada **190**, 102
Nishida, T., see Y. Matsumoto **190**, 165
Nishimori, K., see S. Kishida **190**, 110
Nkum, R.K. and W.R. Datars, Substitution of Sn in the superconducting Bi–Pb–Sr–Ca–Cu–O system **190**, 465
Nogar, N.S., see R.E. Muenchausen **190**, 46
Novikov, A.A., see A.A. Bush **190**, 477
Nygren, M., see M. Andersson **190**, 255

Obertelli, S.D., see R.S. Liu **190**, 99
Oda, K., see Y. Ikeda **190**, 18
Oda, S., see H. Zama **190**, 151
Ogawa, K., J. Fujiwara, H. Takei and H. Asaoka, Surface analysis of cleaved $YBa_2Cu_3O_{6+x}$ by Auger electron spectroscopy **190**, 39
Ohara, S., M. Matsuda, Y. Watanabe and M. Takata, Effect of Ag_2O addition on the formation of $Y_1Ba_2Cu_4O_8$. II. The synthesis at an ordinary pressure of oxygen **190**, 87
Ohashi, N., H. Ikawa, O. Fukunaga and J. Tanaka, Effect of lanthanide elements on electronic properties of the T*-phase **190**, 154
Ohata, K., see H. Takahashi **190**, 427
Ohkubo, H., see M. Yoshimoto **190**, 43
Ohnishi, H., K. Hanaoka, Y. Goto, H. Harima and K. Tachibana, Preparing YBCO superconducting films by MOCVD with UV-light irradiation **190**, 134
Ohnishi, H., see K. Hanaoka **190**, 145
Ohshima, S., see S. Kambe **190**, 139
Okuyama, K., see S. Kambe **190**, 139
Olson, W.L., see R.P. Vasquez **190**, 249
Osamura, K., see W. Zhang **190**, 396
Os'kina, T.E. and Yu.D. Tret'yakov, The synthesis of Bi(Pb)–Sr–Ca–Cu–O superconductors with the use of separately precalcined precursors **190**, 183
Otto, A., R. Kontra and J.B. Vander Sande, Superconducting oxide formation in the Yb–Ba–Cu–O system **190**, 581

Patil, K.C., see S. Sundar Manoharan **190**, 225
Peng, W., see Y. Liang **190**, 415
Pieper, M.W., NMR/NQR of Ga and Cu in $RESr_2GaCu_2O_7$ **190**, 261
Pozigun, S.A., see O.Yu. Gorbenko **190**, 180
Prasad, V., see S. Sundar Manoharan **190**, 225
Presland, M.R., see A. Mawdsley **190**, 437
Provost, J., see B. Raveau **190**, 1
Provost, J., see R.S. Liu **190**, 99
Provost, J., see V. Hardy **190**, 289
Przelozny, Z., see P. Goodman **190**, 277
Puri, M., R. Durny and L. Kevan, Modulated microwave absorption in $YBa_2Cu_3O_{7-\delta}$ single crystal **190**, 210
Puri, M., see R. Durny **190**, 460

Rapp, Ö., see M. Andersson **190**, 255
Raveau, B., C. Michel, M. Hervieu, D. Groult, C. Martin, A. Maignan and J. Provost, Redox mechanisms and superconductivity in thallium and lead cuprates **190**, 1
Raveau, B., see R.S. Liu **190**, 99

Raveau, B., see V. Hardy **190**, 289
Raychaudhuri, A.K., see H. Srikanth **190**, 229
Renk, K.F., see V.M. Burlakov **190**, 304
Roemer, G., see A. Kulpa **190**, 219
Röseler, A., see J. Humlíček **190**, 383
Roshko, A., see H. Ledbetter **190**, 129
Rossel, C., see E. Sandvold **190**, 309
Rouillon, T., see R.S. Liu **190**, 99

Saito, K., see N. Ichinose **190**, 177
Saito, Y., see T. Nabatame **190**, 114
Sanada, N., see Y. Fukuda **190**, 73
Sandvold, E. and C. Rossel, Evidence for collective flux pinning from magnetic relaxation combined with I–V characteristics in YBCO thin films **190**, 309
Sasaki, M., see H. Takahashi **190**, 427
Sato, K., N. Shibuta, H. Mukai, T. Hikata, M. Ueyama and T. Kato, Silver-sheathed Bi(2223) wire and application **190**, 50
Sato, R., T. Komatsu and K. Matusita, Crystallization mechanism in Bi–Sr–Ca–Cu–O glasses **190**, 107
Schuster, Th., see M.R. Koblischka **190**, 557
Schwartz, J. and S. Wu, Effects of lithium doping on the formation and microstructure of bulk Bi–Sr–Ca–Cu–O **190**, 169
Scritnii, V.I., see O.Yu. Gorbenko **190**, 180
Segre, C.U., see R.L. Burton **190**, 569
Seki, K., see T. Takahashi **190**, 205
Sekine, R., see S. Kambe **190**, 139
Sekine, R., see T. Hikita **190**, 148
Sharma, S.V., see D. Bahadur **190**, 527
Shaw, D.T., see Q.X. Jia **190**, 266
Shibuta, N., see K. Sato **190**, 50
Shikano, M., see T. Shimura **190**, 104
Shimakawa, Y., see T. Manako **190**, 63
Shimomura, S., see Y. Ikeda **190**, 18
Shimura, T., M. Shikano, M. Itoh and T. Nakamura, Candidate compounds for superconductivity **190**, 104
Shiraishi, T., see M. Nakabayashi **190**, 143
Shoji, H., see N. Koura **190**, 163
Short, S., see R.L. Burton **190**, 569
Shulga, S.V., see V.M. Burlakov **190**, 304
Shustov, L.D., see G.A. Kapustin **190**, 549
Sorrell, C.C., see S.X. Dou **190**, 160
Srikanth, H. and A.K. Raychaudhuri, Modeling tunneling data of normal metal–oxide superconductor point contact junctions **190**, 229
Subramanyam, S.V., see S. Sundar Manoharan **190**, 225
Sudhakar, N., see D. Bahadur **190**, 527
Sugishita, T., see T. Goto **190**, 89
Sundar Manoharan, S., V. Prasad, S.V. Subramanyam and K.C. Patil, Combustion synthesis and properties of fine particle La_2CuO_4 and $La_{1.8}Sr_{0.2}CuO_4$ **190**, 225
Sushkov, O.P., see V.V. Flambaum **190**, 453
Suzuki, H., Y. Fujiwara, Y. Hirotsu, J. Chen, K. Nakajima and T. Yamashita, Natural and artificial grain boundaries of YBCO thin films for Josephson junctions **190**, 75
Suzuki, S., see T. Takahashi **190**, 205
Syono, Y., M. Kikuchi, S. Nakajima and A. Tokiwa, Chemistry of superconducting Cu oxides with the block layers consisting of Tl, Pb and Bi ions **190**, 9
Syono, Y., see Y. Fukuda **190**, 73

Tachibana, K., see H. Ohnishi **190**, 134
Tachibana, K., see K. Hanaoka **190**, 145
Tachiki, M., see Y. Fukuda **190**, 73
Tagawa, H. and J. Mizusaki, High-temperature X-ray diffraction of $YBa_2Cu_3O_{7-d}$ under controlled oxygen pressure **190**, 167
Takada, J., see Y. Ikeda **190**, 18
Takada, J., M. Fujiwara, T. Nanba, T. Egi, Y. Ikeda, Z. Hiroi, M. Takano and H. Mazaki, Ba addition to the high-T_c phase in the Bi–Pb–Sr–Ca–Cu–O system **190**, 102
Takada, J., see A. Koizumi **190**, 338
Takada, T., see Y. Ikeda **190**, 18
Takagi, K., see M. Hiratani **190**, 175
Takahashi, H., H. Izumi, K. Ohata, T. Hase, M. Sasaki, T. Morishita and S. Tanaka, Crystal structure of $YBa_2Cu_3O_{7-x}$ thin films prepared by pulsed laser deposition with substrate bias voltage **190**, 427
Takahashi, T., T. Morikawa, S. Hasegawa, K. Kamiya, H. Fujimoto, S. Hino, K. Seki, H. Katayama-Yoshida, H. Inokuchi, K. Kikuchi, S. Suzuki, K. Ikemoto and Y. Achiba, Comparative photoemission study of Rb_xC_{60}, Rb_xC_{70} and RbC_8: a pseudo-gap at the Fermi level in the fulleride **190**, 205
Takahashi, Y., see T. Terai **190**, 116
Takamura, Y., Y. Hirokawa, H. Komaki, K. Terashima and T. Yoshida, Synthesis of high-T_c superconductive oxide films by plasma flash evaporation **190**, 122
Takano, M., see Y. Ikeda **190**, 18
Takano, M., see J. Takada **190**, 102
Takano, S., see Y. Yaegashi **190**, 433
Takata, M., see Y. Watanabe **190**, 84
Takata, M., see S. Ohara **190**, 87
Takeda, Y., see Y. Ikeda **190**, 18
Takei, H., see K. Ogawa **190**, 39
Takei, H., see H. Asaoka **190**, 64
Takeshita, F., see T. Hasegawa **190**, 81
Tallon, J.L., see A. Mawdsley **190**, 437
Tanaka, I., see M.E. McHenry **190**, 403
Tanaka, J., see N. Ohashi **190**, 154
Tanaka, S., see H. Takahashi **190**, 427
Tarutani, Y., see M. Hiratani **190**, 175
Terai, T., K. Kusagaya and Y. Takahashi, Modification of the high-T_c superconductor $YBa_2Cu_3O_{7-x}$ by particle-beam irradiation **190**, 116
Terashima, K., see Y. Takamura **190**, 122
Teratani, S., see M. Kawai **190**, 27
Tewordt, L., see Th. Dahm **190**, 537
Theodorakis, S. and D. Feinberg, Field-independent anisotropy in layered superconductors **190**, 271
Theuss, H., A. Forkl and H. Kronmüller, Current density and

magnetic field distribution in hard thin film superconductors **190**, 345
Thomas, J., see G. Krabbes **190**, 141
Thorn, R.J., Conductivity, chemical equilibria and small polaron in oxide superconductor: $YBa_2Cu_3O_{7-\delta}$ **190**, 193
Togano, K., see T. Hasegawa **190**, 81
Tokiwa, A., see Y. Syono **190**, 9
Tokutaka, H., see S. Kishida **190**, 110
Tolkachev, B.B., see G.A. Kapustin **190**, 549
Tomioka, Y., see M. Fukuoka **190**, 91
Tomonaga, H., see S. Hirano **190**, 53
Tret'yakov, Yu.D., see O.Yu. Gorbenko **190**, 180
Tret'yakov, Yu.D., see T.E. Os'kina **190**, 183
Tsang, T., A theory of high-T_c superconductivity **190**, 353

Ueyama, M., see K. Sato **190**, 50

Van der Biest, O., J. Kwarciak, D. Dierickx, M. Dhalle, W. Boon and Y. Bruynseraede, Ceramic superconductors synthesized by sol–gel methods **190**, 119
Vander Sande, J.B., see A. Otto **190**, 581
Vareka, W.A., see N. Kijima **190**, 597
Vasquez, R.P., B.D. Hunt, M.C. Foote, L.J. Bajuk and W.L. Olson, X-ray photoelectron spectroscopy study of inequivalent oxygen sites in high temperature superconductors **190**, 249
Venkatesan, T., see Q. Li **190**, 22
Verges, P., see G. Krabbes **190**, 141
Vlasenko, L., see E. Lähderanta **190**, 497

Wada, T., see Y. Yaegashi **190**, 433
Wang, D., see G. Mao **190**, 285
Wang, G., see G. Mao **190**, 285
Wang, L., see G. Mao **190**, 285
Watanabe, K., see H. Yamane **190**, 79
Watanabe, T., see Y. Kuwasawa **190**, 333
Watanabe, Y., K. Yanagida, M. Takata and K. Ishizaki, Effect of Ag_2O addition on the formation of $Y_1Ba_2Cu_4O_8$. I. The synthesis combined with O_2 HIP technique **190**, 84
Watanabe, Y., see S. Ohara **190**, 87
Welp, U., see E. Zouboulis **190**, 329
Wen, T.L., see M. Andersson **190**, 255
Wermbter, S., see Th. Dahm **190**, 537
Wu, S., see J. Schwartz **190**, 169
Wu, W.M., see S.X. Dou **190**, 160
Wu, X.D., see R.E. Muenchausen **190**, 46

Xi, X.X., see Q. Li **190**, 22
Xiang, X.-D., see N. Kijima **190**, 597

Yaegashi, Y., S. Adachi, T. Wada, S. Takano and H. Yamauchi, $Yb(Ba, Sr)_2Cu_4O_8$: a "124" phase superconductor with a reduced unit cell volume **190**, 433
Yamada, K., see S. Kambe **190**, 139
Yamaguchi, T., see S. Kikkawa **190**, 97
Yamane, H., M. Hasei, H. Kurosawa, K. Watanabe, S. Awaji, N. Kobayashi, T. Hirai and Y. Muto, Low-temperature formation of Y–Ba–Cu–O superconducting films by thermal CVD and their J_c in high magnetic fields **190**, 79
Yamashita, T., see H. Suzuki **190**, 75
Yamauchi, H., see Y. Yaegashi **190**, 433
Yamauchi, H., see F. Munakata **190**, 471
Yamauchi, T., see K. Fueki **190**, 6
Yamazaki, H., see A. Koizumi **190**, 338
Yamazoe, N., see Y. Matsumoto **190**, 165
Yanagida, K., see Y. Watanabe **190**, 84
Yogo, T., see S. Hirano **190**, 53
Yoshida, T., see Y. Takamura **190**, 122
Yoshimoto, M., H. Nagata, S. Gonda, J.P. Gong, H. Ohkubo and H. Koinuma, Fabrication of ceramics heterojunctions and layered cuprates by epitaxial layer-by-layer growth **190**, 43
Yu, G., C.H. Lee, A.J. Heeger, S.-W. Cheong and Z. Fisk, Photo-excitation of single crystals of $La_2CuO_{4+\delta}$ near the metal–insulator transition **190**, 563

Zama, H., S. Oda, T. Miyake and T. Hattori, Mercury-sensitized photo-induced chemical vapor deposition of $YBa_2Cu_3O_x$ films **190**, 151
Zettl, A., see N. Kijima **190**, 597
Zhang, W. and K. Osamura, Phase equilibria at low oxygen partial pressure in the Y–Ba–Cu–O system **190**, 396
Zhao, Y., see S.X. Dou **190**, 160
Zhao, Y.J., see R. Durny **190**, 460
Zhou, W.Z., P.A. Anderson, C.T. Lin and P.P. Edwards, Two perovskite-related materials for future superconductivity **190**, 59
Zouboulis, E., S. Kumar, U. Welp, C.H. Chen, S.K. Chan, M. Grimsditch, J. Downey and L. McNeil, Surface waves on the **a**, **b**, and **c** faces of untwinned single crystals of $YBa_2Cu_3O_{7-\delta}$ **190**, 329

Physica C 190 (1992) 615–617
North-Holland

PHYSICA C

Analytic Subject Index to Volume 190

^{119}Sn-Mössbauer spectroscopy 165

A-15 compounds 477
AES 39
Alkali-doped C_{60} 205
Andreev reflection 229
Anharmonicity 415
Anisotropic superconductor 64, 271
Antiferromagnetic interactions 453
Antiferromagnetic order 261
Auger spectroscopy 266

Band structure 383, 453
BCS model 353
Bi and Cu valences 139
Bi-based superconductor 107
Bi(Pb)–Sr–Ca–Cu–O 183
Bipolaronic superconductivity 193
Bi–Sr–Ca–Cu–O glass 107
Bi–Sr–Ca–Cu–O system 143, 177
Bi–Sr–Cu–O system 143
Bi-system superconductor 53, 139
Bose condensation 483

Ca–Cu–O system 143
Carrier concentration 1, 35, 353, 502, 606
Cation complexes 119
Charge carrier 160
Chemical vapor deposition 151
Cleaved surfaces 39
Collective pinning 309
Composites 67
Computer-assisted material design 137
Critical current density 50, 79, 81, 157, 163, 210, 289, 345, 357, 569
Critical fluence 116
Critical state model 444
Crystallization mechanism 107
Crystal structure
–of I–Bi–Sr–Ca–Cu–O 597
Cu_2O film 151
$Cu(DPM)_2$ 145, 148
Cu–O chains 39
Cu–O planes 261, 437, 453, 483, 537
Current–voltage characteristic 309
Cu-valence 193, 502
CVD 79

Debye temperature 129
Debye–Walter factor 338
Defect structures 122, 126, 131
Dispersed copper 148

EELS 483
Elastic constants 129
–of $YBa_2Cu_3O_{7-\delta}$ 329
Electrical resistivity 62, 64, 102, 110, 124, 163, 175, 219, 433, 465, 527
–of $La_{1.8}Sr_{0.2}CuO_4$ 225
–of La_2CuO_4 225
Electrochemical impedance 511
Electrochemical instertion reaction 367
Electron-doped superconductor 112
Electronic structure 73, 205, 234
Electron–phonon coupling 129, 304
–in $Ba_{0.6}K_{0.4}BiO_3$ 299
Electrophoretic deposition 163
Energy gap 229
Epitaxial growth 22, 27, 31, 43
EXAFS
–in Bi–Pb–Sr–Ca–Cu 338

Fano resonance 304
Faraday effect 345, 557
Far-infrared spectra 483
Fluctuation effects 289
Flux creep 403, 497, 549, 557
Flux jumps
–in $La_{1.86}Sr_{0.14}CuO_4$ 403
Flux pinning 157, 557

Ginzburg–Landau theory 271
Grain alignment (texturing) 316, 527
Grain boundaries 219, 427
Grain boundary junction 75
Grain orientation 177
Grain size dependence 172
Group theory 477
Growth mechanism 57

H_2O adsorption 148
Hall effect 62, 175
Heat capacity 70
Heterojunctions 43
High oxygen pressure 84, 91, 97
High-T_c 2223 phase 165
High-T_c oxide 9
High-T_c superconductor 143, 160
Hole concentration 99
Hot-forging 177
Hot isostatic pressing 84, 91
HREM 67
Hubbard Hamiltonian 234, 353, 453, 537

Infrared spectroscopy 304, 383
In-situ IR spectroscopy 145
Intercalation 597
Ionic conductivity 511
Irradiation 116
Irradiation effect 131, 285, 289

Josephson effect 75, 210

Kosterlitz–Thouless transition 22
$K_xBi_2W_2O_9$ 59

Lanthanum cuprates 129
Laser ablation 114
Laser deposition 22, 46
Lattice dynamics 477
Lattice parameters
–of $Yb(Ba,Sr)_2Cu_4O_8$ 433
Layer-by-layer formation 57
Layer structure 9
Lithium doping 169
London penetration depth 497
Lower critical field H_{c1} 357
Low temperature growth 143

Magnetic field 79
Magnetic relaxation 289, 309, 403
Magnetic susceptibility 102, 124, 180, 465
Magnetization 345, 357, 403, 444
Magnetoresistance 549
MBE 27, 31
Melt growth process 89
Melt quenching 169
Mercury-sensitization 151
Metal alkoxide method 53
Metal–insulator transition 104
–in $La_2CuO_{4+\delta}$ 563
Metal-organic precursor 53
Microstructure 172
Microwave absorption 210, 460

MOCVD 145
Modification 116
Modulated structures 126, 131, 471
Molecular dynamics 93
Mössbauer spectroscopy
–of $La_{2-x}Sr_xCuO_4$ 316
–of $REBa_2Cu_{3-x}{}^{57}Fe_xO_{7+\delta}$ (RE=Dy, Er) 415
Multifilamentary wires 50
Multilayers 271, 333

N_2O 151
Near coincidence site lattice 75
Neutron diffraction 35
NMR
–in $Bi_2Sr_2CaCu_2O_{8+y}$ 367
–in $RESr_2GaCu_2O_7$ 261
Normal-state properties 193, 219, 502
–of $La_2CuO_{4+\delta}$ 563
NQR
–in $RESr_2GaCu_2O_7$ 261

Optical absorption 285
Optical reflectivity 537
Optical spectroscopy 383
O–T transition 122, 167
Oxides 129
Oxide superconductor 9
Oxygen annealing 172
Oxygen diffusion 511
Oxygen nonstoichiometry 139
Oxygen ordering 249, 606
–in $RBa_2Cu_3O_{6+x}$ 234
Oxygen pressure 185
Oxygen stoichiometry 1, 6, 31, 35, 141, 167, 316, 396, 437, 502, 606
–in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+y}$ 471
Ozone 134

Pair breaking 255, 333
Particle beam 116
$PbBaSrYCu_3O_y$ 9
Pb-compounds 185
Peritectic reaction 14
Perovskite structure 104
Phase diagram 14, 18, 64, 112, 396, 437
Phase separation 527
Phase stability 437
Phonon mechanism 299
Photoconductivity 563
Photo CVD 143
Pinning force 549
Point contact spectroscopy 229
Polymeric precursor 124
Precalcined precursors 183
Pressure effect 35
Proximity effect 271
Pseudo-gap 205
Pycnometry 6
Pyrolysis 81

$R_{0.9}Ca_{0.1}Ba_2Cu_4O_8$ 185
R-124 185
Raman scattering 477, 483
Rare earths 97, 154
$Rb_xBi_2W_2O_9$ 59
Reaction-rate enhancement 84, 87
Redox mechanisms 1
Remanent magnetization 497
Resistivity-temperature characteristics 172
RHEED 43
Rhodium oxide 104

Short-range order 141
Single-crystal growth 14, 62, 64, 110
Single crystals 210
Small polaron 193
Sol–gel methods 119
Solid solutions 18
Solid-state reaction 87
Solution spinning 89
Spin fluctuations 537
Sr–Cu–O system 143
$SrTiO_3$ (100) 148
Structural phase transition 131
Structure 35
–of $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+y}$ 471
–of $Bi_2Sr_2Ca_4Cu_5O_y$ 527
–of $Bi_2Sr_2CaCu_2O_x$ 169
–of $Bi_2Sr_2Cu_3O_x$–Ag 67
–of $Bi_2Sr_2R_{2-x}Ce_xCu_2O_{10+\delta}$ (R = rare earth) 522
–of Bi cuprates 27
–of Bi–Pb–Sr–Ca–Cu 338
–of Bi–Pb–Sr–Ca–Cu–O 277
–of Bi–Sr–Ca–Cu–O 110
–of $La_{1.8}Sr_{0.2}CuO_4$ 225
–of La_2CuO_4 93, 225
–of $La_{2-x}Sr_xCuO_4$ 316
–of $LnBa_2Cu_3O_{7-\delta}$ 154
–of $RBa_2Cu_3O_{6+x}$ 234
–of $Y_{1-2x}Ca_xPr_xBa_2Cu_3O_{7-\delta}$ 255
–of $YBa_2Cu_3O_{7-\delta}$ 167, 569
–of $YBa_2Cu_3O_{7-x}$ 141, 427
–of Yb–Ba–Cu–O 581
Substitution 160
Substitution effects 73, 97
–in $Bi_2Sr_2R_{2-x}Ce_xCu_2O_{10+\delta}$ (R = rare earth) 522
–in Bi–Pb–Sr–Ca–Cu–O 465
–in $REBa_2Cu_{3-x}{}^{57}Fe_xO_{7+\delta}$ (RE=Dy, Er) 415
–in $Y_{1-2x}Ca_xPr_xBa_2Cu_3O_{7-\delta}$ 255
–in $Yb(Ba,Sr)_2Cu_4O_8$ 433
Superconducting Bi(Pb)–Sr–Ca–Cu(Sn)–O 165
Superconducting couplings 172
Superconducting filament 89
Superconducting phase transition 70
Superconducting tape 81, 157
Superlattices 22, 43
Surface 57
Surface impedance 46
Surface waves 329
Suspension spinning 89
Synthesis 124, 183, 185
–of Ba–K–Bi–O 31
–of $Bi_2Sr_2R_{2-x}Ce_xCu_2O_{10+\delta}$ (R = rare earth) 522
–of Bi–Pb–Sr–Ca–Cu–O 102, 277
–of Bi–(Pb)–Sr–Ca–O 53
–of Dy–Ba–Cu–O 31
–of $(In_yPb_{0.75-y}Cu_{0.25})Sr_2(Ca_{0.5}Y_{0.5})Cu_2O_{7-\delta}$ 99
–of $(La,Ca)_2CuO_4$ 91
–of $La_{1.8}Sr_{0.2}CuO_4$ 225
–of La_2CuO_4 225
–of $(Pb_{0.75}Cu_{0.25})Sr(Ca_{1-x}Y_x)Cu_2O_{7-\delta}$ 99
–of $Tl_{20}Ba_2CuO_{6+\delta}$ 62
–of $Y_1Ba_2Cu_3O_{7-x}$ 122
–of $YBa_2Cu_3O_{7-\delta}$ 569
–of $YBa_2Cu_3O_{7-x}$ 119, 266, 427
–of $YBa_2Cu_4O_8$ 84, 87
–of Y–Ba–Cu–O 396
–of $Yb(Ba,Sr)_2Cu_4O_8$ 433
–of Yb–Ba–Cu–O 581

TEM 75
Thallium deficiency 1
Thermal analysis 112
Thermal decomposition 145
Thermodynamic function 70
Thermoelectric power 99, 285
Thin films 27, 46, 53, 93, 114, 122, 175, 180, 249, 266, 345, 460
–of $PrBa_2Cu_3O_7$ 383
–of $YBa_2Cu_3O_7$ 383
–of $YBa_2Cu_3O_{7-\delta}$ 569
–of $YBa_2Cu_3O_{7-x}$ 427
Tl–Ba–Ca–Cu–O system 9
Total valence 139
Transmission electron microscopy 597
Tunneling 229, 483
Twin boundaries 122
Two-dimensional superconductivity 22

Ultrasound velocity 129, 329
Upper critical field H_{c2} 114, 255, 271, 333, 549
UV irradiation 53, 151
UV light 134

Vacancies 6
Vanadium oxide 104
Vapour deposition 180

Weak-link problem 172
Weak links 460
Wetting 14, 18
Wire fabrication 50

XPS 43, 73, 154, 249

$YBa_2Cu_3I_{7-x}$ 131
$YBaCuCoO_5$ 59
YBaCuO film 151
Y–Ba–Cu–O superconducting film 79